SCITUS

for scientific information only

About Us Newsroom Advisory Board Submit Web Site Help Contact Us

	Dasic Se	saicii		Auvanceu Search Search Pre	eierences
			and AND disease AND t ✓ Preferred Web sources	ype AND II Sea	rch Exact phrase
Se	arched for::	:All of the words	::von AND willebrand AND	disease AND type AND II	
	Found::	: <u>627 total</u> 15	1 journal results <u>36 pre</u>	eferred web results 440 o	ther web results
	Sort by::	:relevance <u>da</u>	<u>ite</u>		
1.	Developme type II vor Elizabeth Med Assoc activity (dogs. Sam	ent of a collagen- n Willebrand dise Peet Sabino / r, Feb 2006 (CBA) to screen fuple Population-29	Hollis N Erb / James for type II von Willeb 93samples from dogs	Export checked results as a screening test for L Catalfamo, J Am Vet rand disease (vWD) in with inherited type II of type I and type II vWD.	
	MEDLINE	n assay for canine /PubMed Citati oresults from ME ults	on on Pub Med		Refine your sear using these key found in the res acquired von willel disease
2.	Developme type II vor Elizabeth	ent of a collagen- n Willebrand dise Peet Sabino /		as a screening test for L Catalfamo, Am J Vet	adolescent base sequence blood platelets
	(vWF):colladisease (v	To develop an as agen-binding act vWD) in dogs. Sa		r type 2 von Willebrand lasma samples submitted	
	MEDLINE	/PubMed Citati	on on Publimed		<u>hemostasis</u>
	view all 90	results from ME	DLINE/PubMed		molecular sequenc
	similar res				plasma vwf
3.	G Castam Res, Feb 1 A variant of young work variant of	cleavage of von an / F Rodeghi 992 of type II von W man and her mot	Willebrand factor. ero / A Lattuada / P /illebrand disease (vV her with severe lifelong differ from those reporte	Vd) is described in a bleeding historiesthis	polymerase chain in research support, in gov't, p.h.s. won willebrand fact won willebrand fact multimers Or refine using: All of the words

	MEDLINE/PubMed Citation on Pub Med	
	view all 90 results from MEDLINE/PubMed similar results	Refine
4.	Type II H von Willebrand disease: new structural abnormality of plasma and platelet von Willebrand factor in a patient with A B Federici / P M Mannucci / R Lombardi / A Lattuada / M L Colibretti / J A Dent / T S Zimmerman, Am J Hematol, Dec 1989 In this study a new variant of type II von Willebrand disease is identified by multimeric analyses of increasing resolving powerdescribed. Therefore the proposed designation for this new variant is type II H.	
	MEDLINE/PubMed Citation on Pub Med	
	view all 90 results from MEDLINE/PubMed similar results	
5.	A new variant of type II von Willebrand disease with aberrant multimeric structure of plasma but not platelet von Willebrand P M Mannucci / R Lombardi / A B Federici / J A Dent / T S Zimmerman / Z M Ruggeri, Blood, Jul 1986diagnosed as having Type II von Willebrand disease. The larger multimersThis new variant of von Willebrand disease, therefore, is characterizedproposed for this type of von Willebrand disease in accordance with	
	MEDLINE/PubMed Citation on Publimed	
	view all 90 results from MEDLINE/PubMed similar results	
6.	von Willebrand Disease Associated with Superficial Temporal Artery Pseudoaneurysm Ricciardo, B.J. / Mwipatayi, B.P. / Abbas, M. / Sieunarine, K. / Eikelboom, J.W., European Journal of Vascular & Endovascular Surgery, Sep 2005two patients with von Willebrand disease (vWD) that presentedKeywords Pseudoaneurysm von Willebrand disease Collagen Temporal artery von Willebrand disease is a common bleedingIII) or dysfunction (type II) of von Willebrand Published journal article available from	
7.	Multiple normal deliveries in a woman with severe portal hypertension due to congenital hepatic fibrosis: the importance of Ayse L Mindikoglu / Arie Regev / Mary J O'Sullivan / Eugene R Schiff, Am J Gastroenterol, Oct 200526-year-old woman with congenital hepatic fibrosis (CHFib), adult polycystic kidney disease, type II diabetes mellitus, and von Willebrand disease, who despite persistent advice to the contrary because of severe portal hypertension, had 5 MEDLINE/PubMed Citation on PubMed	
	view all 90 results from MEDLINE/PubMed	
	similar results	
8.	A molecular approach to the classification of von Willebrand disease Schneppenheim, R. / Budde, U. / Ruggeri, Z.M., Best Practice &	

Research in Clinical Haematology, Jun 2001 ...B A new variant of type II von Willebrand disease with aberrant multimeric...McKeown L P A variant of type II von Willebrand disease with an abnormal triplet...M A new variant of von Willebrand disease (type II I) with a normal degree... Published journal article available from SCIENCE @DIRECT view all 61 results from ScienceDirect similar results 9. Management of inherited von Willebrand disease Mannucci, P.M. / Federici, A.B., Best Practice & Research in Clinical Haematology, Jun 2001 ...vasopressin (DDAVP) in type II B von Willebrand disease New England Journal of...R DDAVP for type IIB von Willebrand disease Blood 74 1989 1859 1860...vasopressin (DDAVP) in type II B von Willebrand disease European Journal of Haematology... Published journal article available from PCIDNER CO DIRECT view all 61 results from ScienceDirect similar results ☐ 10. A molecular approach to the classification of von Willebrand disease Schneppenheim, R. / Budde, U. / Ruggeri, Z.M., Best Practice & Research in Clinical Haematology, Jun 2001 ...B A new variant of type II von Willebrand disease with aberrant multimeric...McKeown L P A variant of type II von Willebrand disease with an abnormal triplet...M A new variant of von Willebrand disease (type II I) with a normal degree... Published journal article available from BCIENCE @DIRECT view all 61 results from ScienceDirect similar results 11. Management of inherited von Willebrand disease Mannucci, P.M. / Federici, A.B., Best Practice & Research in Clinical Haematology, Jun 2001 ...vasopressin (DDAVP) in type II B von Willebrand disease New England Journal of...R DDAVP for type IIB von Willebrand disease Blood 74 1989 1859 1860...vasopressin (DDAVP) in type II B von Willebrand disease European Journal of Haematology... Published journal article available from SCIENCE @PIRECT view all 61 results from ScienceDirect similar results 12. A new variant of von willebrand disease (type II I) with a normal degree of proteolytic cleavage of von Willebrand... Castaman, G. / Rodeghiero, F. / Lattuada, A. / Mannucci, P.M., Thrombosis Research, Feb 1992 A variant of type II von Willebrand disease (vWd) is described in a young woman and her mother with severe lifelong bleeding histories. On electrophoresis with low-resolution agarose gels the plasma of the proband lacked large and... Published journal article available from science @pirect view all 61 results from ScienceDirect similar results 13. Identification of a new candidate mutation, G1629R, in a family with type 2A von Willebrand disease. P Casaña / F Martínez / S Haya / J A Aznar, Am J Hematol, Apr 1999 Type 2A is a qualitative variant of **von Willebrand disease** (vWD)

characterized by a reduced platelet-dependent function, associated with an absence of large multimers. A G5135A transition...

MEDLINE/PubMed Citation on Pub Med

view all 90 results from MEDLINE/PubMed similar results

14. <u>Influence of mutations and size of multimers in type II von Willebrand</u> disease upon the function of von Willebrand factor.

O Christophe / A S Ribba / D Baruch / B Obert / C Rouault / K Niinomi / G Piétu / (...) / J P Girma, Blood, Jun 1994 ...factor (vWF) from normal individuals and from two patients with type IIA (Glu875Lys) and type IIB (duplication of Met 540) von Willebrand disease (vWD) with the corresponding fully multimerized recombinant proteins. We included cryosupernatant from normal human plasma...

MEDLINE/PubMed Citation on Pub Med

view all 90 results from MEDLINE/PubMed similar results

15. New variant of von Willebrand disease type II with markedly increased levels of von Willebrand factor antigen and dominant...

M R Ledford / I Rabinowitz / J E Sadler / J W Kent / F Civantos, Blood, Jul 1993

A variant of **von Willebrand disease** (vWD) was identified in six members of a kindred spanning four generations. The proband was a 46-year-old woman with a lifelong...

MEDLINE/PubMed Citation on Pub Med

view all 90 results from MEDLINE/PubMed similar results

16. A variant of type II von Willebrand disease with an abnormal triplet structure and discordant effects of protease inhibitors...

H R Gralnick / S B Williams / L P McKeown / P Maisonneuve / C Jenneau / Y Sultan, Am J Hematol, Mar 1987

...characterized the plasma and platelet von Willebrand factor (vWf) multimeric structure of a patient with **von Willebrand disease** (vWd) as having a long bleeding time, no aggregation of her platelet-rich plasma (PRP) to ristocetin, and...

MEDLINE/PubMed Citation on Pub Med

view all 90 results from MEDLINE/PubMed similar results

17. von Willebrand disease and other inherited bleeding disorders in women with diagnosed menorrhagia

Dilley, A. / Drews, C. / Miller, C. / Lally, C. / Austin, H. / Ramaswamy, D. / Lurye, D. / Evatt, B., Obstetrics and Gynecology, Apr 2001

...is a common symptom of **von Willebrand disease**. 8,9 **von Willebrand disease** is a genetic condition...type III) or quality (**type II**) of von Willebrand factor...disorders, most of which were **von Willebrand disease**, in 17 and 37% of women...

Published journal article available from view all 61 results from ScienceDirect similar results

	18.	Investigation of type IIC von Willebrand disease. H Uno / N Nishida / J Ishizaki / M Suzuki / T Nishikubo / S Miyata Y Takahashi / () / K Tsuda, Int J Hematol, Apr 1994 Type II von Willebrand disease (vWD) is characterized by qualitative abnormality of von Willebrand factor (vWF). It is characterized by the absence of the largest
		MEDLINE/PubMed Citation on Pub Med
		view all 90 results from MEDLINE/PubMed similar results
	19.	Studies of vWF-botrocetin complex in patients with different subtypes of type ii von willebrand disease - F.I.Pareti, Thrombosis Research, Jan 1993
		Published journal article available from SCIENCE @DIRECT
		view all 61 results from ScienceDirect similar results
	20.	Apparent autosomal recessive inheritance in patients with type II a von Willebrand disease - N. Ciavarella, G. C Thrombosis Research, Jan 1991
		Published journal article available from science @pirect
•		view all 61 results from ScienceDirect similar results

fast :::

Results Pages: [<< Prev] 1 <u>2</u> <u>3</u> <u>4</u> <u>5</u> <u>6</u> <u>7</u> <u>8</u> [Next >>]

back to top

<u>Downloads</u> | <u>Subscribe to News Updates</u> | <u>User Feedback</u> | <u>Advertising</u> <u>Tell A Friend</u> | <u>Terms Of Service</u> | <u>Privacy Policy</u> | <u>Legal</u>

Powered by FAST © Elsevier 2006

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1	("5321127").PN.	USPAT; USOCR	OR	OFF	2006/03/25 11:37
S3	29289	His with val	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/03/25 11:39
S4	0	S3 same GP1b\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/03/25 11:44
S5	74	glycocalicin	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/03/25 11:45
S8	142491	latex	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/03/25 14:34
S7	17	S6 and (ELISA RIA)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/03/25 14:34
S12	4	S11 and S8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/03/25 14:38
S13	31	S8 same S9	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/03/25 15:44
S17	100	S15 same S16	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/03/25 15:45
S16	587401	GP\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/03/25 15:45

EAST Search History

S15	834	ristocetin	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/03/25 15:45
S6	30	S5 and ristocetin	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/03/25 15:45
S20	1	("4935339").PN.	USPAT; USOCR	OR	OFF	2006/03/25 16:31
S21	305019	(agglutinat\$5 aggregat\$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/03/25 16:48
S11	76	S9 same ristocetin same Gp\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/03/25 16:48
S10	152	S9 same ristocetin and Gp\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/03/25 16:48
S9	22530	platelet with (agglutinat\$5 aggregat\$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/03/25 16:48
S22	5286	(von with willebrand with factor vWF)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/03/25 16:49
S18	60	S17 and (von with willebrand with disease vWD)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/03/25 16:49
S14	1	("5231033").PN.	USPAT; USOCR	OR	OFF	2006/03/25 16:49
S26	24	S23 and S25	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/03/25 16:50

EAST Search History

S25	142491	latex	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/03/25 16:50
S23	373	S21 same Gp\$3 same S22	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/03/25 16:50
S19	13	S17 same (von with willebrand with disease vWD)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/03/27 11:22
L5	22532	platelet with (agglutinat\$5 aggregat\$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/03/27 11:23
L7	1521	latex same ELISA	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/03/27 11:30
L6	15	L5 same ((light near5 scattering) turbidimetr\$3 ((electric magentic) adj2 field)) with detect\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/03/27 11:30
L8	771	latex near3 (bead particle)same ELISA	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2006/03/27 11:31

	•				
Applicatio Number	n	SEARCH			
IDS Flag C IDS Information	learance for Ap	plication 1001974	0		
		T -	T = 1		
	Content	Mailroom Date	Entry Number	IDS Review	Reviewer
	Content M844	Mailroom Date 10-24-2005			Reviewer 11-04-2005 08:46:18 cthomas4
			Number	Review	